

Notice of Allowability	Application No.	Applicant(s)	
	10/606,518	SHIBAZAKI ET AL.	
	Examiner	Art Unit	
	Shefali D. Patel	2624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Supplemental Amendment after Final Rejection on 2/13/2007.
2. ☒ The allowed claim(s) is/are 4-20,22-25,27-43 and 45-48.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. <input type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____ 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ 7. <input type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input type="checkbox"/> Other _____ |
|---|--|

DETAILED ACTION

Response to Amendment

1. Claims 1-3, 21, 26, 44 and 49 are cancelled.

Allowable Subject Matter

1. Claims 4-20, 22-25, 27-43 and 45-48 are allowed and renumbered as 1-42.
2. The following is an examiner's statement of reasons for allowance:

The instant invention defines a fluorescent intensity measuring method, which measures the intensity of minute points, which are arranged on a substrate having a substantially flat surface and include a fluorescent substance. The claimed invention distinguishes over the prior art by the manner in which the judgment step is recited. The claimed combination allows for improving a method of measuring fluorescent intensity.

This type of method is conventional in the art. However, the prior art of record fails to teach a first imaging step of emitting light with a wavelength with which the fluorescent substance can be excited and obtaining an image of each minute point including the fluorescent substance as a first image; a second imaging step of obtaining an image of foreign matter adhering on the substrate as a second image by light with a wavelength which does not excite the fluorescent substance; an extraction step of obtaining a binarized image by extracting a foreign matter area from the second image; and a foreign matter elimination step of disabling an image at a part overlapping the foreign matter area in the first image with the binarized image being used as a mask; an expansion step of expanding the foreign matter area of the binarized image by a determined quantity; a normalization step of normalizing the measured intensity of the minute point by using a reference area of the minute point; a reliability judgment step of obtaining an area of each minute point after the foreign matter elimination step and judging the reliability of the measurement value by using a ratio of the obtained area and the reference area of the minute point and also a correction step of correcting the second image by using a reference image. These elements in

Art Unit: 2624

combination with all of the other elements of the claims are not taught or fairly suggested in the prior art of record. The dependent claims are allowed for the same reasons.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shefali D. Patel whose telephone number is 571-272-7396. The examiner can normally be reached on M-F 8:00am - 5:00pm (First Friday Off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Bella can be reached on (571) 272-7778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Shefali D Patel
Examiner
Art Unit 2624

sdp

MATTHEW C. BELLA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600